Journal of Statistical Planning and Inference 30 (1992) 423–424
North-Holland

Author Index Volume 30 (1992)*

Ambagaspitiya, R.S., *see* N. Balakrishnan (2) 267–279
Baksalary, J.K. and J. Hauke, Minimum number of experimental units in connected block designs with certain additional properties (2) 173–183
Baksalary, J.K. and P.R. Pordzik, Implied linear restrictions in the general Gauss–Markov model (2) 237–248
Balakrishnan, N. and R.S. Ambagaspitiya, A robust method of estimation based on the MML estimators for a simple linear regression model (2) 267–279
Bartmańska, B. and D. Szynal, On Berry–Esseen theorem for some functions of U-statistics (3) 385–393
Bhandari, S.K. and R. Mukerjee, Two- and multi-stage selection procedures for Weibull populations (1) 73– 81
Block, H.W., D. Chhetry, Z. Fang and A.R. Sampson, Some new partial orderings on S_n and $S_n \times S_n$ (3) 351–357
Ceranka, B. and K. Katulska, Optimum biased spring balance weighing designs with non-homogeneity of the variances of errors (2) 185–193
Chang, J.Y. and J.C. Hsu, Optimal designs for multiple comparisons with the best (1) 45– 62
Chhetry, D., *see* H.W. Block (3) 351–357
Csörgő, S. and L. Viharos, Confidence bands for percentile residual lifetimes (3) 327–337
Cuesta, J.A. and C. Matrán, A review on strong convergence of weighted sums of random elements based on Wasserstein metrics (3) 359–370
Falk, M., Bootstrap optimal bandwidth selection for kernel density estimates (1) 13– 22
Fang, Z., *see* H.W. Block (3) 351–357
Gnot, S., J. Srzednicka and R. Zmyślony, Bayes invariant quadratic estimation in general linear regression models (2) 223–236
Hauke, J., *see* J.K. Baksalary (2) 173–183
Hsu, J.C., *see* J.Y. Chang (1) 45– 62
Huang, Deng-Yuan and Sheng-Tsaing Tseng, A decision procedure for determining the number of components in principal component analysis (1) 63– 71
Hveberg, R., *see* J. Srivastava (2) 141–162
Iosifescu, M., On U-statistics and von Mises statistics for a special class of Markov chains (3) 395–400
Kariya, T. and Y. Toyooka, Bounds for normal approximations to the distributions of generalized least squares predictors and estimators (2) 213–221
Katulska, K., *see* B. Ceranka (2) 185–193
Keener, R.W. and M. Woodroofe, Fixed width interval estimation for the reciprocal drift of Brownian motion (1) 1– 12
Kestenband, B.C., New families of balanced incomplete block designs with block size $q + 1$ (1) 83– 91
Khuri, A.I., Tests concerning a nested mixed model with heteroscedastic random effects (1) 33– 44
Kubáček, L., Estimation of the first and second order parameters in regression models with special structure (2) 195–211
Kuczmaszewska, A. and D. Szynal, On the complete convergence for randomly indexed partial sums and the limit behaviour of a sequence of quantiles (3) 371–383

* The issue number is given in front of page numbers.

0378-3758/92/$05.00 © 1992—Elsevier Science Publishers B.V. All rights reserved

Liero, H., Asymptotic normality of a weighted integrated squared error of kernel regression estimates with data-dependent bandwidth (3) 307–325
Maguluri, G., Estimation in a semiparametric model by the method of minimum distance (1) 23– 32
Matrán, C., *see* J.A. Cuesta (3) 359–370
Męczarski, M., Fixed-width interval estimation of the minimum point of a regression function based on the Kiefer–Wolfowitz procedure (3) 339–349
Mukerjee, R., *see* S.K. Bhandari (1) 73– 81
Pordzik, P.R., *see* J.K. Baksalary (2) 237–248
Ross, G.J.S., Graphical methods for constructing data sets for which likelihood functions have multiple optima (1) 107–132
Różański, R., Random stopping sets in sequential analysis of random measures and fields (3) 401–412
Sampson, A.R., *see* H.W. Block (3) 351–357
Satam, M.R., *see* Y.S. Sathe (1) 93– 98
Sathe, Y.S. and M.R. Satam, Some more robust block designs against the unavailability of data (1) 93– 98
Seifert, B., Exact tests in unbalanced mixed analysis of variance (2) 257–266
Shah, K.R., Recovery of interblock information: an update (2) 163–172
Srivastava, J. and R. Hveberg, Sequential factorial probing designs for identifying and estimating non-negligible factorial effects for the 2^m experiment under the tree structure (2) 141–162
Srzednicka, J., *see* S. Gnot (2) 223–236
Street, D.J., A note on strongly equineighboured designs (1) 99–105
Stute, W., Modified cross-validation in density estimation (3) 293–305
Suresh, R.P., *see* M.L. Tiku (2) 281–292
Szajowski, K., Optimal on-line detection of outside observations (3) 413–422
Szynal, D., *see* A. Kuczmaszewska (3) 371–383
Szynal, D., *see* B. Bartmańska (3) 385–393
Tiku, M.L. and R.P. Suresh, A new method of estimation for location and scale parameters (2) 281–292
Toutenburg, H., *see* G. Trenkler (2) 249–256
Toyooka, Y., *see* T. Kariya (2) 213–221
Trenkler, G. and H. Toutenburg, Pre-test procedures and forecasting in the regression model under restrictions (2) 249–256
Tseng, Sheng-Tsaing, *see* Deng-Yuan Huang (1) 63– 71
Viharos, L., *see* S. Csörgő (3) 327–337
Woodroofe, M., *see* R.W. Keener (1) 1– 12
Zmyślony, R., *see* S. Gnot (2) 223–236